

L Number	Hits	Search Text	DB	Time stamp
1	898	(mask\$3 near6 (assert\$3 or deassert\$3 or inactive or disable or enable or activ\$5)) same buffer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:18
2	8559	(711/104-105.ccls. or 711/109-110.ccls. ) or (710/49.ccls. or 710/52.ccls. ) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:18
3	1200666	output\$3 same ((switch\$3 or select\$3) nea6 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:20
4	6626	complementary near3 input\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:21
5	32995	output\$3 same ((high near2 impedance) or tristat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:23
6	9	((mask\$3 near6 (assert\$3 or deassert\$3 or inactive or disable or enable or activ\$5)) same buffer\$4 ) and (complementary near3 input\$3 ) and (output\$3 same ((high near2 impedance) or tristat\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:23
7	9	((mask\$3 near6 (assert\$3 or deassert\$3 or inactive or disable or enable or activ\$5)) same buffer\$4 ) and (complementary near3 input\$3 ) and (output\$3 same ((high near2 impedance) or tristat\$3) )) and (output\$3 same ((switch\$3 or select\$3) nea6 voltage) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:24
8	8	((mask\$3 near6 (assert\$3 or deassert\$3 or inactive or disable or enable or activ\$5)) same buffer\$4 ) and (complementary near3 input\$3 ) and (output\$3 same ((high near2 impedance) or tristat\$3) )) and (output\$3 same ((switch\$3 or select\$3) nea6 voltage) )) and ((711/104-105.ccls. or 711/109-110.ccls. ) or (710/49.ccls. or 710/52.ccls. ) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:28
10	21993	(output\$3 same ((switch\$3 or select\$3) nea6 voltage) ) same (output\$3 same ((high near2 impedance) or tristat\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:29

11	7	(((((mask\$3 near6 (assert\$3 or deassert\$3 or inactive or disable or enable or activ\$5)) same buffer\$4 ) and (complementary near3 input\$3 ) and (output\$3 same ((high near2 impedance) or tristat\$3) )) and (output\$3 same ((switch\$3 or select\$3) near6 voltage) )) and ((711/104-105.ccls. or 711/109-110.ccls. ) or (710/49.ccls. or 710/52.ccls. ) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.) )) and ((output\$3 same ((switch\$3 or select\$3) near6 voltage) ) same (output\$3 same ((high near2 impedance) or tristat\$3) ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:29
-	994	711/104-105.ccls. or 711/109-110.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:28
-	1020	710/49.ccls. or 710/52.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:23
-	4973	365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:27
-	2374	mask\$3 near6 register same (activ\$5 or enabl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:43
-	3046	365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:35
-	8559	(711/104-105.ccls. or 711/109-110.ccls. ) or (710/49.ccls. or 710/52.ccls. ) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:16
-	148	(mask\$3 near6 register same (activ\$5 or enabl\$3) ) and ((711/104-105.ccls. or 711/109-110.ccls. ) or (710/49.ccls. or 710/52.ccls. ) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:35
-	387	buffer same (mask\$3 near6 register same (activ\$5 or enabl\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:37

-	6626	complementary near3 input\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:19
-	8	(buffer same (mask\$3 near6 register same (activ\$5 or enabl\$3) )) and (complementary near3 input\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:38
-	0	(complementary near3 input\$3) same (mask\$3 near3 (inactive or disable or enable)) same (complimentary near3 output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:52
-	287	output\$3 same ((high near2 impedance) or tristat\$3) same (predetermined near2 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:02
-	0	(mask\$3 near3 (inactive or disable or enable)) same (complimentary near3 output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:54
-	0	(mask\$3 near3 (inactive or disable or enable or activ\$5)) same complimentary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:57
-	1	(buffer same (mask\$3 near6 register same (activ\$5 or enabl\$3) )) and (output\$3 same ((high near2 impedance) or tristat\$3) same (predetermined near2 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:55
-	494	(mask\$3 near3 (inactive or disable or enable or activ\$5)) same buffer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:58
-	0	(output\$3 same ((high near2 impedance) or tristat\$3) same (predetermined near2 value)) and ((mask\$3 near3 (inactive or disable or enable or activ\$5)) same buffer\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:57
-	0	(mask\$3 near3 (assert\$3 or deassert\$3 or inactive or disable or enable or activ\$5)) same complimentary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:58
-	535	(mask\$3 near3 (assert\$3 or deassert\$3 or inactive or disable or enable or activ\$5)) same buffer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:00
-	0	(output\$3 same ((high near2 impedance) or tristat\$3) same (predetermined near2 value)) and ((mask\$3 near3 (assert\$3 or deassert\$3 or inactive or disable or enable or activ\$5)) same buffer\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 15:59
-	898	(mask\$3 near6 (assert\$3 or deassert\$3 or inactive or disable or enable or activ\$5)) same buffer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:16
-	1	((mask\$3 near6 (assert\$3 or deassert\$3 or inactive or disable or enable or activ\$5)) same buffer\$4 ) and (output\$3 same ((high near2 impedance) or tristat\$3) same (predetermined near2 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:01

-	32995	output\$3 same ((high near2 impedance) or tristat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:19
-	143	((mask\$3 near6 (assert\$3 or deassert\$3 or inactive or disable or enable or activ\$5)) same buffer\$4 ) and (output\$3 same ((high near2 impedance) or tristat\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:04
-	35	((711/104-105.ccls. or 711/109-110.ccls. ) or (710/49.ccls. or 710/52.ccls. ) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.)) and (((mask\$3 near6 (assert\$3 or deassert\$3 or inactive or disable or enable or activ\$5)) same buffer\$4 ) and (output\$3 same ((high near2 impedance) or tristat\$3) )))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:04
-	12	((711/104-105.ccls. or 711/109-110.ccls. ) or (710/49.ccls. or 710/52.ccls. ) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.)) and (((mask\$3 near6 (assert\$3 or deassert\$3 or inactive or disable or enable or activ\$5)) same buffer\$4 ) and (output\$3 same ((high near2 impedance) or tristat\$3) ))) and (mask\$3 near6 register same (activ\$5 or enabl\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:11
-	4	((711/104-105.ccls. or 711/109-110.ccls. ) or (710/49.ccls. or 710/52.ccls. ) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.)) and (((mask\$3 near6 (assert\$3 or deassert\$3 or inactive or disable or enable or activ\$5)) same buffer\$4 ) and (output\$3 same ((high near2 impedance) or tristat\$3) ))) and (mask\$3 near6 register same (activ\$5 or enabl\$3) ) and (complementary near3 input\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/26 16:12